ELSEVIER

Journal of Materials Processing Technology 108 (2001) 408–409

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 108

Agrawal, D., 26
Aifantis, E., 185
Altan, T., 384
Argyropoulou, R., 179
Atreya, S.K., 328

Bauer, H., 97

Campbell, M., 197
Chang, B., 307
Chang, S.-C., 294
Chang, Y., 294
Chen, C.-K., 8
Chen, T.-L., 294
Cheng, J., 26
Cheng, P.J., 314
Choi, S., 87
Choi, Y., 1
Christides, C., 193
Clifton, D., 338

Date, P.P., 45
Davtian, S.P., 201
Demachi, K., 141, 152
Desai, U.B., 45
Dobránszky, J., 205
Dogas, D., 197

Echigoya, J., 213
Edwards, G.R., 376
Efthimiopoulos, T., 197
Elefsiniotis, S., 209
Eleftheriadis, I., 185
Enokizono, M., 225

Feng, J.P., 40
Ferran, G., 78
Ferron, G., 78
Frazier, W.G., 320

Gao, W., 349
Gau, J.-T., 369
Georgilakis, P., 209
Grabchenko, A.I., 269
Graham, I.D., 55
Gravalidis, Ch., 197
Guo, Z.Q., 394

Hallström, J., 21
Hashimoto, S., 263
Hashmi, K., 55
Hatafuku, H., 213
Hatziargyriou, N., 209, 217
Hayashi, N., 161
Heo, Y., 1
Hidasi, B., 205
Higasa, H., 141
Horváth, M., 269
Huang, C.-A., 294

Ikeda, K., 237
Inamdar, M.V., 45

Jackson, M.J., 114
Jain, R.K., 62
Jain, V.K., 62
Jardine, D.J., 338
Jayan, P.S., 26

Kallias, G., 156
Kansal, G., 328
Kao, W.H., 30
Katz, R.N., 68
Khor, K.A., 398
Kiartzis, S., 232
Kim, H.Y., 1
Kim, Y.H., 87
Kinzel, G.L., 369
Kladas, A., 217, 232
Koç, M., 384
Kojima, F., 263
Konstantinidis, D., 185
Kubota, N., 263
Kyriakakis, J., 257

Lee, B.Y., 286
Lee, E.C., 278
Lee, J.I., 106
Lee, Y., 87
Li, X., 213
Lin, S.C., 314
Lin, T.-R., 12
Lin, W.S., 286
Liu, Y.C., 394
Loh, N.H., 398
Lu, L., 307
Luo, Z.J., 40

Makhlouf, M.M., 68
Mamalis, A.G., 125, 126, 165, 201, 269
Manolakos, D.E., 165
Martirosian, S.A., 201
Marya, M., 376
Medeiros, S.C., 320
Mészáros, I., 269
Mihsein, M.J.A., 97
Mills, B., 55, 114
Miya, K., 141, 152
Moraitakis, E., 156
Moreira, L.P., 78
Mount, A.R., 338

Nagaya, K., 161
Nian, C.Y., 278
Niarchos, D., 156, 193
Nishimura, K., 237
Numata, R., 141

Ochsenkühn, K.M., 179
Ochsenkühn-Petropoulou, M., 179
Ohsaki, H., 148
Ohzeki, K., 161
Okazaki, Y., 221

Palli, I., 197
Panagiotopoulos, I., 193
Paparigas, D., 209
Parissakis, G., 179
Paulmier, D., 269
Pech-Canul, M.I., 68
Pissas, M., 145, 156, 193
Prasad, Y.V.R.K., 320
Prohászka, J., 205
Proussalidis, J., 217

Raitsios, P., 246
Rao, P.N., 328
Rimkus, W., 97
Roth, R., 338
Roy, R., 26
Ruan, X., 300

Seo, D., 1
Seshacharyulu, T., 320
Shi, X., 300
Shi, Y., 307
Shimizu, R., 141
Shindo, S., 152
Song, G.S., 394
Srinivasan, R., 356
Stamopoulos, D., 145
Su, Y.L., 30
Sun, J.J., 356

Takahashi, N., 241
Takahashi, S., 213
Takase, K., 152
Tanaka, M., 237, 253
Tarantilis, P., 179
Tarng, Y.S., 278
Taylor, E.J., 356
Tonoyan, A.O., 201

Elsevier Science B.V.
PII: S0924-0136(00)00870-0

ELSEVIER

Journal of Materials Processing Technology 108 (2001) 408–409

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 108

Agrawal, D., 26
Aifantis, E., 185
Altan, T., 384
Argyropoulou, R., 179
Atreya, S.K., 328

Bauer, H., 97

Campbell, M., 197
Chang, B., 307
Chang, S.-C., 294
Chang, Y., 294
Chen, C.-K., 8
Chen, T.-L., 294
Cheng, J., 26
Cheng, P.J., 314
Choi, S., 87
Choi, Y., 1
Christides, C., 193
Clifton, D., 338

Date, P.P., 45
Davtian, S.P., 201
Demachi, K., 141, 152
Desai, U.B., 45
Dobránszky, J., 205
Dogas, D., 197

Echigoya, J., 213
Edwards, G.R., 376
Efthimiopoulos, T., 197
Elefsiniotis, S., 209
Eleftheriadis, I., 185
Enokizono, M., 225

Feng, J.P., 40
Ferran, G., 78
Ferron, G., 78
Frazier, W.G., 320

Gao, W., 349
Gau, J.-T., 369
Georgilakis, P., 209
Grabchenko, A.I., 269
Graham, I.D., 55
Gravalidis, Ch., 197
Guo, Z.Q., 394

Hallström, J., 21
Hashimoto, S., 263
Hashmi, K., 55
Hatafuku, H., 213
Hatziargyriou, N., 209, 217
Hayashi, N., 161
Heo, Y., 1
Hidasi, B., 205
Higasa, H., 141
Horváth, M., 269
Huang, C.-A., 294

Ikeda, K., 237
Inamdar, M.V., 45

Jackson, M.J., 114
Jain, R.K., 62
Jain, V.K., 62
Jardine, D.J., 338
Jayan, P.S., 26

Kallias, G., 156
Kansal, G., 328
Kao, W.H., 30
Katz, R.N., 68
Khor, K.A., 398
Kiartzis, S., 232
Kim, H.Y., 1
Kim, Y.H., 87
Kinzel, G.L., 369
Kladas, A., 217, 232
Koç, M., 384
Kojima, F., 263
Konstantinidis, D., 185
Kubota, N., 263
Kyriakakis, J., 257

Lee, B.Y., 286
Lee, E.C., 278
Lee, J.I., 106
Lee, Y., 87
Li, X., 213
Lin, S.C., 314
Lin, T.-R., 12
Lin, W.S., 286
Liu, Y.C., 394
Loh, N.H., 398
Lu, L., 307
Luo, Z.J., 40

Makhlouf, M.M., 68
Mamalis, A.G., 125, 126, 165, 201, 269
Manolakos, D.E., 165
Martirosian, S.A., 201
Marya, M., 376
Medeiros, S.C., 320
Mészáros, I., 269
Mihsein, M.J.A., 97
Mills, B., 55, 114
Miya, K., 141, 152
Moraitakis, E., 156
Moreira, L.P., 78
Mount, A.R., 338

Nagaya, K., 161
Nian, C.Y., 278
Niarchos, D., 156, 193
Nishimura, K., 237
Numata, R., 141

Ochsenkühn, K.M., 179
Ochsenkühn-Petropoulou, M., 179
Ohsaki, H., 148
Ohzeki, K., 161
Okazaki, Y., 221

Palli, I., 197
Panagiotopoulos, I., 193
Paparigas, D., 209
Parissakis, G., 179
Paulmier, D., 269
Pech-Canul, M.I., 68
Pissas, M., 145, 156, 193
Prasad, Y.V.R.K., 320
Prohászka, J., 205
Proussalidis, J., 217

Raitsios, P., 246
Rao, P.N., 328
Rimkus, W., 97
Roth, R., 338
Roy, R., 26
Ruan, X., 300

Seo, D., 1
Seshacharyulu, T., 320
Shi, X., 300
Shi, Y., 307
Shimizu, R., 141
Shindo, S., 152
Song, G.S., 394
Srinivasan, R., 356
Stamopoulos, D., 145
Su, Y.L., 30
Sun, J.J., 356

Takahashi, N., 241
Takahashi, S., 213
Takase, K., 152
Tanaka, M., 237, 253
Tarantilis, P., 179
Tarng, Y.S., 278
Taylor, E.J., 356
Tonoyan, A.O., 201

Elsevier Science B.V.
PII: S0924-0136(00)00870-0

Tor, S.B., 398
Tsuboi, H., 237
Tsuboi, Y., 148
Tsuchimoto, M., 188

Ueda, T., 213
Um, K.W., 106

Vottea, I., 179
Vottea, I.N., 165

Wang, C.-C., 294
Wang, T., 394
Wei, Y., 300
Wu, C.L., 286
Wu, C.T., 30
Wu, S.-C., 8

Xu, C.-H., 349
Xu, D.S., 394

Yamamoto, K., 221
Yanase, S., 221
Yang, G.C., 394
Yang, Y.-L., 349

Zhou, Y.H., 394

ELSEVIER

Journal of Materials Processing Technology 108 (2001) 410–415

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 108

Abrasive flow machining
Optimum selection of machining conditions in abrasive flow machining using neural network, 62
Alumina abrasive grit
Continuous microwave sintering of alumina abrasive grits, 26
2024 Aluminum alloy
Fabrication of 2024 aluminum spun tube using a thermomechanical treatment process, 294
Aluminum alloys
Optimum conditions for pressureless infiltration of SiC_p preforms by aluminum alloys, 68
Analytical model
Mathematical model and experimental validation of surface profile of a workpiece in round–oval–round pass sequence, 87
Anisotropy
The effect of magnetic field on the recrystallisation of ferromagnetic material with special respect regarding its anisotropy, 205
Artificial neural network
Studies on the prediction of springback in air vee bending of metallic sheets using an artificial neural network, 45
A prediction of welding process parameters by prediction of back-bead geometry, 106

Back-bead geometry
A prediction of welding process parameters by prediction of back-bead geometry, 106
Back-bead prediction system
A prediction of welding process parameters by prediction of back-bead geometry, 106
Bauschinger effect
An experimental investigation of the influence of the Bauschinger effect on springback predictions, 369
Bending
A study on the laser forming of near-alpha and metastable beta titanium alloy sheets, 376
Bending angle
An analytical model to estimate angle formed by laser, 314
Bending effects
Simulation of sheet metal forming by a one-step approach: choice of element, 300
Boronizing
Superplastic boronizing of a low alloy steel — microstructural aspects, 349
BSCCO
Large area YBaCuO and BSCCO coatings produced on different substrates by an electrophoretic deposition technique, 179
Buckling
A study on the laser forming of near-alpha and metastable beta titanium alloy sheets, 376
Bulk high-T_c superconductor
Shielding current model and frozen field model in analysis of magnetic force between a bulk HTS and a magnet, 188

Burr
Experimental study of burr formation and tool chipping in the face milling of stainless steel, 12
Ceramic
On the modelling of the compaction mechanism of shock compacted powders, 165
High-temperature superconducting polymer–ceramic compositions, 201

Coating
Optimum Ti-C:H coatings on tungsten carbide inserts for milling applications, 30
Compaction
On the modelling of the compaction mechanism of shock compacted powders, 165
Computational model
Studies on the stress distribution and fatigue behavior of weld-bonded lap shear joints, 307
Conductivity
Leakage field of a transformer under conventional and superconducting condition, 246
Control
Control of resonance for a rotating shaft levitated by the high temperature super conductor by using a rotating magnetic damper, 161
Core construction
ALSTOM Hellas experience on power and distribution transformers, 257
Counterblow hammer forging
Influence of friction on die filling in counterblow hammer forging, 21
Critical speed
Control of resonance for a rotating shaft levitated by the high temperature super conductor by using a rotating magnetic damper, 161
Cross sectional area
Mathematical model and experimental validation of surface profile of a workpiece in round–oval–round pass sequence, 87
Cubic boron nitride (CBN) grinding wheels
Materials selection applied to vitrified alumina & CBN grinding wheels, 114
Cup drawing
Experimental and numerical analysis of the cup drawing test for orthotropic metal sheets, 78
Cutting tool
Ultraprecision metal removal processing of mirror-surfaces, 269
Cyclical loading
An experimental investigation of the influence of the Bauschinger effect on springback predictions, 369
3D analysis
3D analysis of magnetization distribution magnetized by capacitor-discharge impulse magnetizer, 241

Elsevier Science B.V.
PII: S0924-0136(00)00871-2

DC magnetization
Single crystal growth and vortex matter phase diagram in $HgBa_2CuO_{4+x}$ superconductor, 145
Deep drawing
Investigations of weld-line movements for the deep drawing process of tailor welded blanks, 1
Deterministic technique
Deterministic and artificial intelligence approaches in optimizing permanent magnet generators for wind power applications, 232
Die filling
Influence of friction on die filling in counterblow hammer forging, 21
Directional solidification
Directional growth of metastable phase γ in laser-remelted Ti–Al, 394
Dislocation structure
Martensitic transformation due to plastic deformation and magnetic properties in SUS 304 stainless steel, 213
Dissipative structure theory
A method for the optimal control of forging process variables using the finite element method and control theory, 40
Dissolution stability
Electrochemical machining of gamma titanium aluminide intermetallics, 338
DKT shell element
Simulation of sheet metal forming by a one-step approach: choice of element, 300
Double diffusivity
Application of double diffusivity model to superconductors, 185
Dynamic vibration absorber
Design of a dynamic vibration absorber against vibrations in turning operations, 278

Earing formation
Experimental and numerical analysis of the cup drawing test for orthotropic metal sheets, 78
Eddy current
Identification of crack profiles using genetic programming and fuzzy inference, 263
Eddy current effect
Iron lamination efficient representation in power transformers, 217
Electric motors
Study on electric motors with bulk superconductors in the rotor, 148
Electrical machines
Two-dimensional (vector) magnetic property and improved magnetic field analysis for electrical machines, 225
Electricity
Near net-shape manufacturing of bulk ceramic high-T_c superconductors for application in electricity and transportation, 126
Electrochemical machining
Electrochemical machining of gamma titanium aluminide intermetallics, 338
MREF-ECM process for hard passive materials surface finishing, 356
Electrochemical polishing
MREF-ECM process for hard passive materials surface finishing, 356
Electrophoretic deposition
Large area YBaCuO and BSCCO coatings produced on different substrates by an electrophoretic deposition technique, 179
Equiaxed preform
Influence of oxygen content on the forging response of equiaxed ($\alpha + \beta$) preform of Ti–6Al–4V: commercial vs. ELI grade, 320
Exchange biasing
Pulsed laser deposition of mixed valence manganite artificial superstructures, 193
Excimer laser
Screening effects of the excimer laser produced plasma of $YBa_2Cu_3O_7$, 197

Fabrication
Study: temperature and residual stress in an injection moulded gear, 328
Face milling
Experimental study of burr formation and tool chipping in the face milling of stainless steel, 12
Fatigue behavior
Studies on the stress distribution and fatigue behavior of weld-bonded lap shear joints, 307
Ferromagnetic material
The effect of magnetic field on the recrystallisation of ferromagnetic material with special respect regarding its anisotropy, 205
Finite element method
A method for the optimal control of forging process variables using the finite element method and control theory, 40
Computation results of the TEAM workshop Problem 7 by finite element methods using tetrahedral and hexahedral elements, 237
3D analysis of magnetization distribution magnetized by capacitor-discharge impulse magnetizer, 241
Flow-stress
Design of load-curves for hydroforming applications, 97
Flux pinning
Analysis of magnetic relaxation in a thin disk of $YBa_2Cu_3O_{7-\delta}$ superconductor, 156
Forging process variables
A method for the optimal control of forging process variables using the finite element method and control theory, 40
Formability
An overall review of the tube hydroforming (THF) technology, 384
Foster II equivalent circuit
Iron lamination efficient representation in power transformers, 217
Friction
Influence of friction on die filling in counterblow hammer forging, 21
An overall review of the tube hydroforming (THF) technology, 384
Frozen field model
Shielding current model and frozen field model in analysis of magnetic force between a bulk HTS and a magnet, 188
Fuzzy inference
Identification of crack profiles using genetic programming and fuzzy inference, 263
Fuzzy logic
Fuzzy logic based data selection for the drilling process, 55

Genetic algorithm
Optimum selection of machining conditions in abrasive flow machining using neural network, 62
Genetic programming
Identification of crack profiles using genetic programming and fuzzy inference, 263
Grain boundary
Application of double diffusivity model to superconductors, 185
Growth texture
Superplastic boronizing of a low alloy steel — microstructural aspects, 349

Haptic sensor
Development of tactile sensor for monitoring skin conditions, 253
Hexahedral edge element
Computation results of the TEAM workshop Problem 7 by finite element methods using tetrahedral and hexahedral elements, 237

$HgBa_2CuO_{4+x}$ compound
Single crystal growth and vortex matter phase diagram in $HgBa_2CuO_{4+x}$ superconductor, 145
High temperature
Control of resonance for a rotating shaft levitated by the high temperature super conductor by using a rotating magnetic damper, 161
High-T_c superconductors
Near net-shape manufacturing of bulk ceramic high-T_c superconductors for application in electricity and transportation, 126
Hot working
Influence of oxygen content on the forging response of equiaxed ($\alpha + \beta$) preform of Ti–6Al–4V: commercial vs. ELI grade, 320
HTSC
A study on the relaxation of levitation property in an HTSC magnetic bearing, 152
Human skin conditions
Development of tactile sensor for monitoring skin conditions, 253
Hydroforming
An overall review of the tube hydroforming (THF) technology, 384

IHP process
Design of load-curves for hydroforming applications, 97
IN718 alloy
A method for the optimal control of forging process variables using the finite element method and control theory, 40
Iron
Effective use of magnetic materials in transformer manufacturing, 209

316L stainless steel powder
Production of metal matrix composite part by powder injection molding, 398
Laser energy flux
Screening effects of the excimer laser produced plasma of $YBa_2Cu_3O_7$, 197
Laser forming
An analytical model to estimate angle formed by laser, 314
A study on the laser forming of near-alpha and metastable beta titanium alloy sheets, 376
Laser rapid solidification
Directional growth of metastable phase γ in laser-remelted Ti–Al, 394
Laser welding
Investigations of weld-line movements for the deep drawing process of tailor welded blanks, 1
Leakage field
Leakage field of a transformer under conventional and superconducting condition, 246
Leakage inductance
Leakage field of a transformer under conventional and superconducting condition, 246
Levitation
Control of resonance for a rotating shaft levitated by the high temperature super conductor by using a rotating magnetic damper, 161
Load-curve
Design of load-curves for hydroforming applications, 97
Lubrication
An overall review of the tube hydroforming (THF) technology, 384

Machined surface roughness
Optimum Ti-C:H coatings on tungsten carbide inserts for milling applications, 30
Machining parameters
Fuzzy logic based data selection for the drilling process, 55
Magnet
A study on the relaxation of levitation property in an HTSC magnetic bearing, 152
Shielding current model and frozen field model in analysis of magnetic force between a bulk HTS and a magnet, 188
Magnetic field
The effect of magnetic field on the recrystallisation of ferromagnetic material with special respect regarding its anisotropy, 205
Magnetic force
Shielding current model and frozen field model in analysis of magnetic force between a bulk HTS and a magnet, 188
Magnetic properties
Martensitic transformation due to plastic deformation and magnetic properties in SUS 304 stainless steel, 213
Magnetic relaxation
Analysis of magnetic relaxation in a thin disk of $YBa_2Cu_3O_{7-\delta}$ superconductor, 156
Magnetic steel
ALSTOM Hellas experience on power and distribution transformers, 257
Magnetizer
3D analysis of magnetization distribution magnetized by capacitor-discharge impulse magnetizer, 241
Martensitic transformation
Martensitic transformation due to plastic deformation and magnetic properties in SUS 304 stainless steel, 213
Mathematical model
A mathematical model for the evaluation of conically tapered parts, 8
Maximum inscribed cone
A mathematical model for the evaluation of conically tapered parts, 8
Metal matrix composites
Production of metal matrix composite part by powder injection molding, 398
Metal removal processing
Ultraprecision metal removal processing of mirror-surfaces, 269
Metallic sheets
Studies on the prediction of springback in air vee bending of metallic sheets using an artificial neural network, 45
Metastable phase
Directional growth of metastable phase γ in laser-remelted Ti–Al, 394
Michelson interferometer
Measurement of magnetostriction and magnetic properties in an open magnetic circuit, 221
Microhardness
Production of metal matrix composite part by powder injection molding, 398
Microstructural control
Influence of oxygen content on the forging response of equiaxed ($\alpha + \beta$) preform of Ti–6Al–4V: commercial vs. ELI grade, 320
Microwave sintering
Continuous microwave sintering of alumina abrasive grits, 26
Milling
Optimum Ti-C:H coatings on tungsten carbide inserts for milling applications, 30
Minimum circumscribed cone
A mathematical model for the evaluation of conically tapered parts, 8
Mirror-surface
Ultraprecision metal removal processing of mirror-surfaces, 269
Mixed valance manganites
Pulsed laser deposition of mixed valence manganite artificial superstructures, 193

Modeling
A study on the laser forming of near-alpha and metastable beta titanium alloy sheets, 376
Motorcase
Fabrication of 2024 aluminum spun tube using a thermomechanical treatment process, 294
Moulded gear
Study: temperature and residual stress in an injection moulded gear, 328
Movement
Investigations of weld-line movements for the deep drawing process of tailor welded blanks, 1
MREF-ECM
MREF-ECM process for hard passive materials surface finishing, 356
Multilayers
Pulsed laser deposition of mixed valence manganite artificial superstructures, 193

Neural networks
Optimum selection of machining conditions in abrasive flow machining using neural network, 62
Deterministic and artificial intelligence approaches in optimizing permanent magnet generators for wind power applications, 232
Nodes
Modeling the surface roughness and cutting force for turning, 286
Numerical analysis
Two-dimensional (vector) magnetic property and improved magnetic field analysis for electrical machines, 225

One-step approach
Simulation of sheet metal forming by a one-step approach: choice of element, 300
Open magnetic circuit
Measurement of magnetostriction and magnetic properties in an open magnetic circuit, 221
Optimal control
A method for the optimal control of forging process variables using the finite element method and control theory, 40
Optimal machining conditions
Optimum selection of machining conditions in abrasive flow machining using neural network, 62
Optimization procedure
Deterministic and artificial intelligence approaches in optimizing permanent magnet generators for wind power applications, 232
Oxygen effect
Influence of oxygen content on the forging response of equiaxed ($\alpha + \beta$) preform of Ti–6Al–4V: commercial vs. ELI grade, 320

Permanent magnets
Deterministic and artificial intelligence approaches in optimizing permanent magnet generators for wind power applications, 232
Planar anisotropy
Experimental and numerical analysis of the cup drawing test for orthotropic metal sheets, 78
Polymer
High-temperature superconducting polymer–ceramic compositions, 201
Polyvinylidene fluoride film
Development of tactile sensor for monitoring skin conditions, 253
Powder injection molding
Production of metal matrix composite part by powder injection molding, 398
Power and distribution transformers
ALSTOM Hellas experience on power and distribution transformers, 257

Predicted square error criteria
Modeling the surface roughness and cutting force for turning, 286
Pre-forming
An overall review of the tube hydroforming (THF) technology, 384
Preisach–Neel model
Iron lamination efficient representation in power transformers, 217
Pressureless infiltration
Optimum conditions for pressureless infiltration of SiC_p preforms by aluminum alloys, 68
Processing maps
Influence of oxygen content on the forging response of equiaxed ($\alpha + \beta$) preform of Ti–6Al–4V: commercial vs. ELI grade, 320
Pulsed laser deposition
Pulsed laser deposition of mixed valence manganite artificial superstructures, 193

Radius-curve
Design of load-curves for hydroforming applications, 97
Regression analysis
Modeling the surface roughness and cutting force for turning, 286
Rod rolling
Mathematical model and experimental validation of surface profile of a workpiece in round–oval–round pass sequence, 87
Rotor
Study on electric motors with bulk superconductors in the rotor, 148

Scanning electron microscopy
Large area YBaCuO and BSCCO coatings produced on different substrates by an electrophoretic deposition technique, 179
Shaft
Control of resonance for a rotating shaft levitated by the high temperature super conductor by using a rotating magnetic damper, 161
Sheet metal
A study on the laser forming of near-alpha and metastable beta titanium alloy sheets, 376
Sheet metal forming
Experimental and numerical analysis of the cup drawing test for orthotropic metal sheets, 78
Simulation of sheet metal forming by a one-step approach: choice of element, 300
Shielding current model
Shielding current model and frozen field model in analysis of magnetic force between a bulk HTS and a magnet, 188
SiC_p preforms
Optimum conditions for pressureless infiltration of SiC_p preforms by aluminum alloys, 68
Simulation
Influence of friction on die filling in counterblow hammer forging, 21
Single sheet tester
Measurement of magnetostriction and magnetic properties in an open magnetic circuit, 221
S–N curves
Studies on the stress distribution and fatigue behavior of weld-bonded lap shear joints, 307
Sol–gel technology
Materials selection applied to vitrified alumina & CBN grinding wheels, 114
Springback
Studies on the prediction of springback in air vee bending of metallic sheets using an artificial neural network, 45
An experimental investigation of the influence of the Bauschinger effect on springback predictions, 369

Stainless steel
Experimental study of burr formation and tool chipping in the face milling of stainless steel, 12
Strain distribution
Investigations of weld-line movements for the deep drawing process of tailor welded blanks, 1
Stress-wave propagation
On the modelling of the compaction mechanism of shock compacted powders, 165
Superconducting
A study on the relaxation of levitation property in an HTSC magnetic bearing, 152
Superconductivity
High-temperature superconducting polymer–ceramic compositions, 201
Superconductor
Study on electric motors with bulk superconductors in the rotor, 148
Analysis of magnetic relaxation in a thin disk of $YBa_2Cu_3O_{7-\delta}$ superconductor, 156
Control of resonance for a rotating shaft levitated by the high temperature super conductor by using a rotating magnetic damper, 161
Screening effects of the excimer laser produced plasma of $YBa_2Cu_3O_7$, 197
Superplasticity
Superplastic boronizing of a low alloy steel — microstructural aspects, 349
Surface finishing
MREF-ECM process for hard passive materials surface finishing, 356
Surface hardness
Electrochemical machining of gamma titanium aluminide intermetallics, 338
Surface profile
Mathematical model and experimental validation of surface profile of a workpiece in round–oval–round pass sequence, 87

Taguchi methods
Effective use of magnetic materials in transformer manufacturing, 209
Tailor welded blanks (TWBs)
Investigations of weld-line movements for the deep drawing process of tailor welded blanks, 1
TEAM workshop Problem 7
Computation results of the TEAM workshop Problem 7 by finite element methods using tetrahedral and hexahedral elements, 237
Temperature and residual stresses
Study: temperature and residual stress in an injection moulded gear, 328
Tetrahedral edge element
Computation results of the TEAM workshop Problem 7 by finite element methods using tetrahedral and hexahedral elements, 237
Thermomechanical treatment
Fabrication of 2024 aluminum spun tube using a thermomechanical treatment process, 294
Thin film
Analysis of magnetic relaxation in a thin disk of $YBa_2Cu_3O_{7-\delta}$ superconductor, 156
Ti_xC_y-C:H
Optimum Ti-C:H coatings on tungsten carbide inserts for milling applications, 30
Ti–Al alloy
Directional growth of metastable phase γ in laser-remelted Ti–Al, 394
Ti–6Al–4V
Influence of oxygen content on the forging response of equiaxed ($\alpha + \beta$) preform of Ti–6Al–4V: commercial vs. ELI grade, 320
TiC
Production of metal matrix composite part by powder injection molding, 398
Titanium alloys
A study on the laser forming of near-alpha and metastable beta titanium alloy sheets, 376
Titanium aluminide
Electrochemical machining of gamma titanium aluminide intermetallics, 338
Tool chipping
Experimental study of burr formation and tool chipping in the face milling of stainless steel, 12
Transformer
Effective use of magnetic materials in transformer manufacturing, 209
Leakage field of a transformer under conventional and superconducting condition, 246
Transportation
Near net-shape manufacturing of bulk ceramic high-T_c superconductors for application in electricity and transportation, 126
Tube
An overall review of the tube hydroforming (THF) technology, 384
Tube spinning
Fabrication of 2024 aluminum spun tube using a thermomechanical treatment process, 294
Turning
Design of a dynamic vibration absorber against vibrations in turning operations, 278
Turning process
Fuzzy logic based data selection for the drilling process, 55
Two-dimensional magnetic properties
Two-dimensional (vector) magnetic property and improved magnetic field analysis for electrical machines, 225

Ultraprecision
Ultraprecision metal removal processing of mirror-surfaces, 269

Vibration
Control of resonance for a rotating shaft levitated by the high temperature super conductor by using a rotating magnetic damper, 161
Vibration control
Design of a dynamic vibration absorber against vibrations in turning operations, 278
Vitrified alumina
Materials selection applied to vitrified alumina & CBN grinding wheels, 114
Vortex matter phase diagram
Single crystal growth and vortex matter phase diagram in $HgBa_2CuO_{4+x}$ superconductor, 145

Wear resistance
Optimum Ti-C:H coatings on tungsten carbide inserts for milling applications, 30
Weld line
Investigations of weld-line movements for the deep drawing process of tailor welded blanks, 1
Weld-bonded joint
Studies on the stress distribution and fatigue behavior of weld-bonded lap shear joints, 307

X-ray diffraction analysis
Large area YBaCuO and BSCCO coatings produced on different substrates by an electrophoretic deposition technique, 179

X-ray wavelength dispersive spectra
Superplastic boronizing of a low alloy steel — microstructural aspects, 349

$YBa_2Cu_3O_{7-x}$ superconductors
Application of double diffusivity model to superconductors, 185

YBCO
Large area YBaCuO and BSCCO coatings produced on different substrates by an electrophoretic deposition technique, 179

Yield surface
Experimental and numerical analysis of the cup drawing test for orthotropic metal sheets, 78